

Data Sheet

innovi.

innoVi[™] is an innovative AI-powered video analytics platform that employs highly accurate and sophisticated algorithms developed and tailored specifically to surveillance scenarios. These advanced algorithms, based on deep learning, allow innoVi to execute automatic classification of objects with precision, and without any need for special configuration or tweaking, thereby instantly transforming any ONVIF/RTSP fixed IP camera into a smart IoT device.

Available as a cloud-based SaaS or on-premise software, innoVi boasts a comprehensive set of video analytics capabilities. Furthermore, innoVi's federated software architecture can be easily enabled across large surveillance installations, as well as at dispersed and remote sites.

| Product Characteristics | Page 2 |
|---|--------|
| Management, Administration & Operation | Page 2 |
| innoVi Capabilities – Summary | Page 4 |
| Real-Time Detections & Alerts (Intrusion Detection Package) | Page 4 |
| Real-Time Detections & Alerts (Comprehensive Package) | Page 5 |
| Real-Time Anomaly Detection | Page 5 |
| Video Search | Page 6 |
| Operational Insights | Page 7 |

The tables below list the major technical features and functionalities of innoVi.

| Algorithm Technology | Cutting-edge Artificial Intelligence (AI) algorithms which result in high Probability of Detection (POD) & low False Alarm Rate (FAR), with no complex setup |
|------------------------------------|---|
| | All video streams are continuously analyzed in real-time |
| Architecture | Distributed analytics: innoVi Edge component at the remote site network, and innoVi Core server (either Agent Vi Hosted or Customer Hosted) |
| innoVi Edge | A compact appliance or virtual appliance, running Agent Vi's video analytics pipeline |
| | Connects to any ONVIF/RTSP-supporting IP camera, multiple cameras can be connected to each innoVi Edge |
| | innoVi Edge processes the video locally and communicates with innoVi Core |
| innoVi Core | innoVi Core performs all central management and higher-level processing of extracted metadata for advanced video analysis |
| | Available either in the Cloud (Agent Vi Hosted) or on-prem (Customer Hosted) |
| | High availability and failover support of all innoVi Core components |
| Deployment Options | Agent Vi Hosted Customer Hosted |
| Scalability | Unlimited number of analytics-driven cameras per account |
| Supported Cameras | All ONVIF / RTSP fixed IP cameras (visual / thermal) for outdoor and indoor environments, are supported by innoVi Edge [™] |
| Supported Video Management Systems | Immix CS/CC by SureView Systems Security Center by Genetec Sentinel by Monitor Computer Systems Signal Tower by Online Intelligence XProtect by Milestone Systems |
| | For complete and up-to-date information on supported vendors, click here |
| | Note: Webhooks API is available for third party integrations |
| Management, Administratio | |

| Main Features | | |
|--|---|--|
| Centralized Management | All configuration and setup is performed centrally | |
| Automatic Calibration | Seamless, continuous automatic camera calibration | |
| Bulk Camera Management | Cameras can be configured as a group | |
| Accessibility | Accessible using standard web browser | |
| Camera Enablement | Cameras are easily added to innoVi and configured within minutes | |
| Health Monitoring | | |
| innoVi's health monitoring monitors all serv functionalities and communicate with third | rice aspects that may compromise innoVi's ability to undertake its video analytics I-party systems | |
| Video & Connectivity Quality | Receive notification of: | |
| | innoVi Edge connection to innoVi Video source connection to innoVi Edge | |
| | Video source quality (low resolution / low frame rate / low processing rate) Video status (scene blocked / too dark / saturated) | |
| innoVi Edge Health | Notification of no communication / innoVi Edge overload / high latency | |
| Real-Time Event Delivery Notification to Alarm Automation Software / VMS | Notification of event delivery delay / failure | |
| Geospatial Map-Based Display | | |

innoVi includes a Geographic Information System (GIS)-based map interface that allows multiple functionalities, including defining real-time detection rules, undertaking search queries, and more, via the map. Each camera can be anchored to the map and then interacted with via the map interface. Events generated by anchored cameras will be displayed in their correct location on the map, and various data insights (for example, operational insights) can also be visualized through the map interface.

| Unique Features of Agent Vi Hosted innoVi | | |
|---|---|--|
| No Network Configuration | Connection is established by the innoVi Edge: outbound traffic only (no need for port forwarding) | |
| Software Upgrades | Seamless and immediate availability of upgrades, all managed by Agent Vi | |
| No On-Premise Servers | No need to purchase and maintain on-premise servers, as cloud servers are managed by Agent Vi | |
| Fault Tolerance | Fault-tolerant architecture, managed and maintained by Agent Vi | |
| Data Back-up & Restore | User's data is backed up by Agent Vi and restored by Agent Vi in case of failure | |
| Cost Efficiency | Total cost of ownership per camera remains the same, regardless of camera count | |

| innoVi Capabilities – Summary | innoVi Remote Guarding | innoVi Investigation | innoVi Enterprise | innoVi Corporate |
|--|---------------------------|-------------------------|----------------------|---------------------|
| Real-Time Detections & Alerts - Intrusion Detection package | \checkmark | | \checkmark | ~ |
| Real-Time Detections & Alerts - Comprehensive Package | | | ~ | ~ |
| Real-Time Anomaly Detection | | | ~ | ~ |
| Video Search | | ~ | ~ | ~ |
| Operational Insights / Statistics | | | ~ | ~ |
| Custom Object Detection | | | | ✓ |
| Facial Recognition | | | | ~ |
| License Plate Recognition | | | | ~ |
| Geospatial Map-based Display (GIS integration) | | ~ | ~ | ~ |
| Health Monitoring | \checkmark | ~ | ~ | ✓ |

Real-Time Detections & Alerts – Intrusion Detection Package

innoVi's Intrusion Detection Package meets the monitoring and detection needs of organizations and security service providers, enabling them with a video analytics service that delivers accurate, automatic, real-time detections of security breaches at remote sites with immediate video verification. By reinforcing guard services with Al-powered video analytics, the capabilities enable more sites to be monitored with an increased level of security – without an increase in security staff.

| Real-Time Detection Rules | |
|--|---|
| Moving in an Area (Person / Car / Bus / Van / Truck / Pickup Truck / Motorcycle / Bicycle) | Detects a person / car / bus / van / truck / pickup truck / motorcycle / bicycle moving in a predefined area |
| Crossing a Line (Person / Car / Bus / Van / Truck / Pickup Truck / Motorcycle / Bicyle) | Detects a person / car / bus / van / truck / pickup truck / motorcyle / bicycle crossing a predefined line |
| Video Verification | |
| Event Clip for Video Verification | innoVi generates an alarm video clip that includes several seconds before and after the breach |
| | The video clip is available to the operator via the alarm automation software / VMS, following integration with innoVi |
| Rule Considerations & Management | |
| Number of Rules per Camera | Unlimited |
| Number of Detected Targets | Unlimited |
| Number of Detection Areas | Unlimited |
| Number of Rule Schedules | Unlimited |
| Rule Scheduling | Activate / deactivate rules according to predefined schedules |
| Configurable Rule Parameters | Wide range of advanced parameters to suit various scenarios and environments including: Interval between Events, Camera Type (CCD/CMOS/Thermal), Masking Level |

Real-Time Detections & Alerts – Comprehensive Package

innoVi delivers highly accurate real-time event detections, eliminating the need to rely on the alertness or response discipline of the surveillance system's operator. Users define potential events of interest in advance and receive alerts when such events occur, enabling rapid responses to incidents, as they emerge.

| Real-Time Detection Rules | |
|--|---|
| Moving in an Area (Person / Car / Bus / Van / Truck / Pickup Truck / Motorcycle / Bicycle) | Detects a person / car / bus / van / truck / pickup truck / motorcycle / bicycle moving in a predefined area |
| Crossing a Line (Person / Car / Bus / Van / Truck / Pickup Truck / Motorcycle / Bicyle) | Detects a person / car / bus / van / truck / pickup truck / motorcyle / bicycle crossing a predefined line |
| Stopped Vehicle (Car / Bus / Van / Truck / Pickup Truck) | Detects a car / bus / van / truck / pickup truck stopped in a predefined area for longer than a predefined time period |
| Occupancy | Detects a configurable number of people in a predefined area for longer than a predefined time period |
| Grouping | Detects a configurable number of people closely grouping in a predefined area for longer than a predefined time period |
| Video Verification | |
| Event Clip for Video Verification | innoVi generates an alarm video clip that includes several seconds before and after the breach |
| | The video clip is available to the operator via the alarm automation software / VMS, following integration with innoVi |
| Rule Considerations & Management | |
| Number of Rules per Camera | Unlimited |
| Number of Detected Targets | Unlimited |
| Number of Detection Areas | Unlimited |
| Number of Rule Schedules | Unlimited |
| Rule Scheduling | Activate / deactivate rules according to predefined schedules |
| Configurable Rule Parameters | Wide range of advanced parameters to suit various scenarios and environments including: Interval between Events, Camera Type (CCD/CMOS/Thermal), Masking Level |

Real-Time Anomaly Detection

innoVi delivers highly accurate real-time event detections for anomalous events and patterns, bringing an operator's attention to unexpected behaviors and trends that would otherwise go unnoticed. The Anomaly Detection capability identifies events / objects without manual rule configuration or pre-definition, and alerts the operator to such events in real-time.

innoVi's Anomaly Detection algorithm continually learns the distinct characteristics of each scene for particular times of day / days of the week etc. Once the initial learning period is complete, innoVi alerts for different behaviors / incidents / trends that do not match the typical behavior / traffic for that time / day.

Recognizing that not all anomalous events will be of interest to the user, the user provides feedback to innoVi that defines what is of interest (and what is not), thereby fine-tuning future Anomaly Detection results.

| Types of objects that will generate events / can be user-defined for alerts | Person, Vehicle, Two-wheel vehicle, Unknown |
|--|--|
| Detection Sensitivity | User can define a daily / weekly event rate per camera |

Video Search

innoVi offers automatic and effortless retrieval and analysis of recorded video, replacing cumbersome, labor-intensive, manual searches. Users define parameters regarding the event / object of interest and receive matching search results within seconds, enabling rapid access to specific video segments buried in the stored video.

Contrary to competing solutions which rely on batch processing of recorded video in order to provide search functionality, innoVi creates metadata in real-time, as the video is stored, which is then available for Video Search. Effectively, there is no waiting time to process and search through the video, and multiple (even all) cameras can be searched simultaneously, regardless of the number of cameras in an installation.

innoVi Video Search can work with any VMS as it relies on recording video in the innoVi Edge devices.

| Search Criteria | | | |
|--|---|--|--|
| Camera Selection | Apply search on selected / all cameras. Cameras can be selected by marking a zone on a map-based interface and including all cameras in such zone | | |
| Time Period Specification | Search according to specific time period or recurring time periods | | |
| Target Type | Search for specific target type (person / car / bus / van / truck / pickup truck / motorcycle bicycle) | | |
| Target Behavior | Search according to the specific behavior / state of the target | | |
| | Target Type | Behavior | |
| | Person | Moving in an area for a specified duration | |
| | | Crossing a line | |
| | | Occupancy | |
| | | Grouping | |
| | Vehicle (Car / Bus / Van / Truck/ | Moving in an area for a specified duration | |
| | Pickup Truck / Motorcycle / | Crossing a line | |
| | Bicycle) | Stopping in a specified area | |
| Target Color | Search according to specific target color; can search for upper body color and lower body color for a Person | | |
| Dwell Time | Search according to interval of dwell time | | |
| Search Results - Viewing Options | · | | |
| Thumbnails | Displays each search query result in a thumbnail image showing the found target (person / vehicle / object). Users can play back the results. | | |
| | Provides automatic zoom in on the detected target based on the available recorded video resolution. | | |
| Geo-spatial Map Display | Displays each search query result on the street map, enabling geographical context of the event. | | |
| Search Query / Results Management | | | |
| My Queries | Save a search query definition as a preset for future use | | |
| My Search Results | Save selected items from the search results for future use | | |
| Video Clip Export | Export selected event footage from the search results as an independent video file | | |
| Performance | | | |
| Number of Cameras for Simultaneous Search | Unlimited | | |
| Number of Detected Targets | Unlimited | | |
| Number of Detection Areas | Unlimited | | |
| | ~5 seconds per camera per 24 hours of recorded video | | |

Operational Insights

innoVi offers automated statistical analysis to present traffic volumes, movement trends and motion patterns, enabling effortless extraction of operational data from surveillance video. Equipped with such information, facility managers, marketing leaders and business owners can make educated decisions regarding various operational and resource allocation aspects at their facility.

| Operational Insights – Rules | |
|--|--|
| Counting (People / Vehicles) | Counts people / vehicles crossing a predefined line/s (bidirectional) |
| Speed Analysis (Vehicles) Vehicle speed data is continuously gathered and collated | |
| Query Results – Viewing Option | |
| Statistics Analysis | Presents graphs showing count results, obtained after performing a search, per camera and / or per time period |

The tables above do not contain the full features and functionalities of innoVi, or design aspects that may affect or limit some of the features or functionalities. Additional information is available on Agent Vi's website, including in the innoVi Product Brochure, or in Agent Vi's extended documentation and manuals which are available to Agent Vi's partners. For specific queries, please contact Agent Vi.

Agent Vi reserves the right to change the product specification at its sole discretion at any time.

Agent Video Intelligence Ltd.

Americas: +1-855-AgentVi (+1-855-243-6884) EMEA: +972-72-220-1500 S.E. Asia: +65-6813-2064 For more information, visit: <u>www.agentvi.com</u> or email: <u>sales@agentvi.com</u>

Agent Vi™, innoVi™, innoVi Edge™ and Vi™ are trademarks of Agent Video Intelligence Ltd. © 2020 Agent Video Intelligence Ltd., All rights reserved.